THIEN PHU VINH

PRODUCT CATALOGUE
EDITION 2026



CORE VENEER · PLYWOOD · LVL · ENGINEERED BOARDS

VENEER & PLYWOOD CATALOGUE

Core veneer, plywood & LVL by application. Mill-direct from North Vietnam, shipped from Hai Phong port.

01
CORE VENEER
Four plantation species

02
VENEER PLYWOOD
Furniture · Doors · Packaging

03
ENGINEERED
Melamine · Laminate

04
FILM-FACED
Formwork · Site

05
STRUCTURAL
Sheathing · Unfaced core

06
LVL
Pallets · Beams

SAFE · DEDICATED · RELIABLE

thienphuvinh.com

MILL-DIRECT FROM NORTH VIETNAM

01



OUR OWN PRODUCTION

Veneer and panels are peeled, pressed and finished at our own mills in the North Vietnam acacia and eucalyptus belt. No trading, no middle layer.

02



VENEER TO FINISHED PANEL

Core veneer plus packaging, furniture and construction grades from one manufacturer: eucalyptus and acacia core, Bintangor, LVL, veneer-faced, melamine, laminate, film-faced, structural.

03



OWN LOGISTICS SYSTEM

Our own logistics company trucks, clears customs and books every container from mill gate to vessel.

04



FULL CERTIFICATES

Certificate of Origin, legality documents and fumigation papers supplied with each shipment. FSC on request.

14 PRODUCTS, SIX GROUPS



CORE VENEER

TPV-VN-01	Eucalyptus core veneer	P. 04
TPV-VN-02	Acacia core veneer	P. 04
TPV-VN-03	Styrax core veneer	P. 05
TPV-VN-04	Manglietia core veneer	P. 05




VENEER PLYWOOD

TPV-FU-01	Veneer plywood · birch, oak, walnut, okoume, sapele	P. 06
TPV-PK-01	Bintangor packing plywood	P. 07
TPV-PK-03	Pine-faced plywood	P. 07



ENGINEERED PLYWOOD

TPV-FU-06	Melamine-faced plywood	P. 08
TPV-FU-07	Laminate (HPL) plywood	P. 08



FILM-FACED PLYWOOD

TPV-CO-01	Film-faced plywood	P. 09



STRUCTURAL PLYWOOD

TPV-CO-02	Structural plywood	P. 10
TPV-CO-04	Unfaced plywood core	P. 10



LVL PLYWOOD

TPV-PK-02	Packaging LVL	P. 11
TPV-CO-03	Structural LVL	P. 11

GROUP 01 · CORE VENEER

CORE VENEER

TPV-VN-01 Eucalyptus core veneer | TPV-VN-02 Acacia core veneer | TPV-VN-03 Styrax core veneer | TPV-VN-04 Manglietia core veneer



EUCALYPTUS CORE VENEER

AVAILABLE

Dense, straight eucalyptus peeled from plantation logs. The strongest plantation core, used where panels must stay flat under load.

USED FOR

- Film-faced formwork plywood
- Structural plywood
- Container flooring core
- Furniture plywood core
- LVL billets
- Export-grade commercial plywood





Thick.	1.5 – 2.5 mm
Grade	AB · BC, dried or green
Size	1270 × 640 mm, 1290 × 650 mm



ACACIA CORE VENEER

AVAILABLE

Rotary-cut acacia from the plantation belt of North Vietnam – the workhorse core veneer for everyday plywood.

USED FOR

- Plywood core layers
- Packing plywood
- Film-faced plywood core
- Furniture plywood core
- Blockboard & door cores
- Pallet and block stock





Thick.	1.5 – 2.5 mm
Grade	AB · BC, dried or green
Size	1270 × 640 mm, 1290 × 650 mm

GROUP 01 · CORE VENEER

CORE VENEER

TPV-VN-01 Eucalyptus core veneer
TPV-VN-02 Acacia core veneer
TPV-VN-03 Styrax core veneer
TPV-VN-04 Manglietia core veneer


TPV-VN-03

STYRAX CORE VENEER

AVAILABLE

Pale, light and even styrax veneer. Peels cleanly with few knots, giving a light panel and a smooth sanded face.

USED FOR

- Light furniture plywood
- Painted-grade plywood
- Door skins and door cores
- Packing plywood
- Laminated and overlaid panels
- Low-weight export plywood


GRADED SHEETS


STRAPPED BUNDLES

Thick.	1.5 – 2.5 mm
Grade	AB · BC, dried or green
Size	1270 × 640 mm, 1290 × 650 mm


TPV-VN-04


MANGLIETIA CORE VENEER

AVAILABLE

Soft, light yellow manglietia veneer from managed plantations. Easy to glue and press, for light panels and furniture grades.

USED FOR

- Furniture plywood core
- Light packing plywood
- Blockboard and door cores
- Painted-grade panels
- Laminated panels
- Pallet decks


PEELED SHEETS


READY FOR LOADING

Thick.	1.5 – 2.5 mm
Grade	AB · BC, dried or green
Size	1270 × 640 mm, 1290 × 650 mm

GROUP 02 · VENEER PLYWOOD

VENEER PLYWOOD

TPV-FU-01 Veneer plywood · birch, oak, walnut, okoume, sapele

TPV-PK-01 Bintangor packing plywood | TPV-PK-03 Pine-faced plywood



VENEER PLYWOOD

AVAILABLE

Decorative hardwood faces on a plantation core, for furniture, doors and fit-out where the wood is on show. Five standard faces – birch, oak, walnut, okoume and sapele – share the same construction and the same applications; other species and matched veneers on request.

APPLICATIONS

- Kitchen cabinets, doors & islands
- Wardrobes, shelving & drawer boxes
- Desks, tables & office furniture
- Door leaves, skins & frames
- Hotel & lobby wall panels
- Interior cladding & ceilings
- Shop & showroom fit-out
- Stair & handrail cladding
- Reception counters
- Painted furniture carcasses
- CNC-cut parts
- Exhibition stands



















Thick.	12 – 25 mm
Glue	MR or WBP on request
Size	1220 × 2440 mm · other sizes on request



GROUP 02 · VENEER PLYWOOD

VENEER PLYWOOD

TPV-FU-01 Veneer plywood · birch, oak, walnut, okoume, sapele

TPV-PK-01 Bintangor packing plywood | TPV-PK-03 Pine-faced plywood



BINTANGOR PACKING PLYWOOD

AVAILABLE

Thin, economical plywood with a red Bintangor face. The standard sheet for export packaging and lining.

APPLICATIONS

- Export crates & boxes
- Machinery packing cases
- Pallet decks & collars
- Container & truck lining
- Furniture backs & drawer bottoms
- Door core filler





Thick.	2.7 – 18 mm
Glue	MR, others on request
Size	1220 × 2440 mm · cut sizes



PINE-FACED PLYWOOD

AVAILABLE

Knotty pine face on a hardwood core: tough, light and inexpensive for pallets, crates and site use.

APPLICATIONS

- Pallet decks & top boards
- Crate panels
- Machinery packaging
- Shelving & racking decks
- Van & caravan floor underlay
- Temporary site protection





Thick.	9 – 18 mm
Glue	MR, others on request
Size	1220 × 2440 mm · cut sizes

GROUP 03 · ENGINEERED PLYWOOD

ENGINEERED PLYWOOD

TPV-FU-06 Melamine-faced plywood | TPV-FU-07 Laminate (HPL) plywood



TPV-FU-06

MELAMINE-FACED PLYWOOD

AVAILABLE

Melamine-impregnated décor paper pressed onto a plywood core. Ready to cut, edge and assemble – no finishing line needed.

APPLICATIONS

- Kitchen carcasses
- Wardrobe & closet carcasses
- Office desks & tables
- Shelving & storage units
- School & hospital furniture
- Drawer boxes



KITCHEN CARCASSES



OFFICE FURNITURE

Thick.	12 – 25 mm
Glue	MR or WBP on request
Size	1220 × 2440 mm



TPV-FU-07

LAMINATE (HPL) PLYWOOD

AVAILABLE

0.6 – 1.0 mm high-pressure laminate on a plywood core with balancing backer. Scratch-, heat- and moisture-resistant surfaces.

APPLICATIONS

- Kitchen doors & worktop panels
- Bathroom vanities
- Outdoor & covered kitchens
- Reception counters
- Lab & canteen tables
- Lift & hotel wall panels



HPL KITCHEN FRONTS



BATHROOM VANITIES


Thick.	12 – 25 mm
Glue	MR or WBP on request
Size	1220 × 2440 mm



GROUP 04 · FILM-FACED PLYWOOD

FILM-FACED PLYWOOD

TPV-CO-01 Film-faced plywood



FILM-FACED PLYWOOD

AVAILABLE

Phenolic film on a WBP-bonded hardwood core, edges sealed. Smooth concrete, fast stripping, repeated pours.

APPLICATIONS

- Slab formwork decks
- Wall & column forms
- Beam sides & soffits
- Tunnel & bridge formwork
- Precast moulds
- Site hoarding & fencing
- Truck & trailer floors
- Scaffold platforms









Thick.	12 – 18 mm
Glue	WBP phenolic, others on request
Size	1270 × 640 mm, 1290 × 650 mm

GROUP 05 · STRUCTURAL PLYWOOD

STRUCTURAL PLYWOOD

TPV-CO-02 Structural plywood | TPV-CO-04 Unfaced plywood core



STRUCTURAL PLYWOOD

AVAILABLE

Unfaced WBP plywood with a sanded hardwood face, for load-bearing and site applications where appearance is secondary.

APPLICATIONS

- Sub-floors & mezzanine decks
- Roof & wall sheathing
- Site hoarding
- Jigs, workbenches & tooling
- Heavy crates & pallet collars
- Shelving & racking





Thick.	9 – 30 mm
Glue	WBP, others on request
Size	1220 × 2440 mm · cut sizes



UNFACED PLYWOOD CORE

AVAILABLE

Plain plywood blanks with no decorative face, calibrated and sanded for your own veneer, melamine, laminate or film line.

APPLICATIONS

- Veneer & HPL pressing blanks
- Melamine overlay blanks
- Film-faced blanks
- Door cores & blockboard
- Furniture carcass panels





Thick.	9 – 30 mm
Glue	MR or WBP on request
Size	1220 × 2440 mm · cut sizes



GROUP 06 · LVL PLYWOOD

LVL PLYWOOD

TPV-PK-02 Packaging LVL | TPV-CO-03 Structural LVL



PACKAGING LVL

AVAILABLE

Peeled eucalyptus or acacia veneers glued into long, straight, knot-free billets. Cut to the lengths your pallet line needs.

APPLICATIONS

- Pallet stringers & blocks
- Crate skids & runners
- Export case frames
- Machinery base frames
- Dunnage & bearers
- Thick pallet decks





Thick.	18 – 105 mm
Glue	MR or WBP on request
Size	cut to length, up to 2.7 m



STRUCTURAL LVL

AVAILABLE

Phenolic-bonded LVL beams and billets up to 6 m. Dimensionally stable, graded for load-bearing use.

APPLICATIONS

- Floor & roof beams
- Lintels & headers
- Bearers & joists
- Formwork frames & walers
- Scaffold planks
- Rafters & purlins






Thick.	27 – 105 mm
Glue	WBP phenolic, others on request
Size	beams and billets up to 6 m

FROM LOG TO CONTAINER IN 12 STEPS

























QUALITY CONTROL Every bundle is checked for thickness, moisture, bond and face grade before strapping.



SISTER COMPANY

OUR OWN LOGISTICS

Our own logistics company handles every container from the mill gate to the vessel.

MILL North Vietnam › **OWN TRUCKS** mill to port › **HAI PHONG** export port › **YOUR PORT** Intra-Asia

10+ years in Hai Phong

20+ container trucks

1 contact, mill to port





Delivery terms, routing and schedules are agreed per order with your quotation.

THIEN PHU VINH
IMPORT-EXPORT AND LOGISTICS

PRICE ON REQUEST

REQUEST A QUOTATION

01
SEND YOUR SPECIFICATION
product, thickness, grade, glue, quantity and port

02
RECEIVE A QUOTATION
price, lead time and loading plan

03
APPROVE SAMPLES
sent by courier on request

04
PLACE THE ORDER
payment terms as agreed on the quotation

SALES CONTACT

ALEX SON
Sales Manager

+84 84 84 86 846
info@thienphuvinh.com

OFFICE

Thien Phu Vinh Import-Export & Logistics Co., Ltd.
62 Le Thanh Tong, Ngo Quyen
Hai Phong, Vietnam

thienphuvinh.com

SCAN TO CHAT ON WHATSAPP

All specifications are indicative and are confirmed on the pro-forma invoice for each order.